

Appendix A

Correlations (Spearman rho) for main research variables and all subscales. N = 224

	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.
1. ASRS hyperactive	-	.64	.91	.25	.57	.31	.43	.5	.53	.54	.56	.58	.57	.53	.59	.63	.65	.61
2. ASRS Inattentive		-	.9	.37	.64	.29	.49	.45	.51	.51	.42	.51	.47	.41	.53	.54	.56	.51
3. ASRS Total			-	.35	.67	.33	.52	.53	.58	.58	.55	.61	.58	.53	.62	.66	.68	.62
4. BAPQ aloof				-	.57	.58	.86	.41	.34	.36	.36	.38	.32	.28	.36	.42	.41	.37
5. BAPQ pragmatic language					-	.55	.81	.55	.61	.58	.56	.55	.54	.46	.66	.59	.65	.52
6. BAPQ rigid						-	.84	.4	.48	.36	.46	.44	.41	.39	.45	.48	.49	.45
7. BAPQ total							-	.53	.55	.51	.53	.53	.49	.43	.57	.58	.6	.51
8. GSQ Tactile								-	.67	.67	.64	.59	.58	.59	.76	.75	.8	.47
9. GSQ Gustatory									-	.72	.66	.64	.69	.62	.84	.77	.85	.46
10. GSQ Proprioception										-	.65	.6	.67	.54	.84	.7	.81	.46
11. GSQ Visual											-	.76	.73	.7	.81	.84	.87	.46
12. GSQ Auditory												-	.71	.68	.76	.87	.86	.49
13. GSQ Vestibular													-	.62	.78	.82	.85	.47
14. GSQ Olfactory														-	.7	.81	.8	.46
15. GSQ Hypo															-	.79	.94	.49
15. GSQ Hyper																-	.95	.56
17. GSQ Total																	-	.56
18. GAD-7																		-

ASRS = Adult ADHD Self-Report Scale, BAPQ = Broader Autistic Phenotype Questionnaire, GSQ = Glasgow Sensory Questionnaire, GAD-7 = General Anxiety Disorder brief measure.

All correlations significant at $p < 0.001$